SKIRTIFY

The finishing touch to your flooring



CATALOGUE



Hides cables



Shock registant



Paintable





100% water resistant, even in bathrooms




Very lightweight and easy to install

SKIRTIFY The finishing touch to your flooring

Introducing Skirtify® floor skirting profiles, crafted from cutting-edge materials for exceptional durability, lightweight construction, and hassle-free installation. Setting itself apart from conventional wood, MDF, or plaster alternatives, Skirtify® boasts distinctive product attributes that redefine excellence.

The cornerstone of our profiles lies in high-quality polyurethane, enabling precise detailing and sharp contours. Embracing versatility, each Skirtify® profile can be seamlessly painted to match any interior decor, providing a limitless canvas for creativity.

With Skirtify®, elevate your space with skirting solutions that combine resilience, ease of use, and artistic potential – a true fusion of innovation and elegance.




Height	
Length	2400 mm
Thickness	



Square Standard 10

S1008 - Skirting

Experience elegance with the Square Standard 10 skirting - a sleek rectangular design boasting straight edges. Crafted from a high-density polystyrene polymer, this impact-resistant masterpiece measures $100 \times 2400 \times 13$ mm, transforming any space effortlessly



		Specifications	
		Height	80 mm
		Length	2400 mm
		Thickness	



Square Standard 08

S822 - Skirting

Elevate your interior with the Square Standard 8 skirting, a contemporary marvel. Its rectangular form, adorned with clean lines, creates a striking visual impact. Crafted from an extruded and impact-resistant polymer, this skirting exudes durability and sophistication



Height	
Length	2400 mm
Thickness	25 mm




Square Deep 12

S12006 - Skirting

Discover the allure of the Square Deep 12 skirting, a rectangular masterpiece designed to impress. With its precise edges and sleet dimensions of $120 \times 2400 \times 25$ mm, this high-density polystyrene creation effortlessly enhances the aesthetic appeal of any room.

Allowing more than enough depth to allow for use with engineered woods, laminate floors and Vinyl flooring while covering any existing skirtings already in place.





Square Deep 10


S1025 - Skirting

Unleash the power of modern design with the Square Deep 10 skirting. Its rectangular shape and sharp edges create a bold statement, while the extruded and impact-resistant polymer composition guarantees longevity. Measuring 100 x 2400 x 25 mm, it's a perfect blend of style and durability.

Allowing more than enough depth to allow for use with engineered woods, laminate floors and Vinyl flooring while covering any existing skirtings already in place.



Height	
Length	2400 mm
Thickness	



Contour 10

S10015 - Skirting

Step into sophistication with the Contour 10 skirting, a contoured beauty that defines contemporary elegance. Crafted from a high-density polystyrene polymer, its impact-resistant nature ensures longevity. Measuring 100 x 2400 x 15 mm, this skirting sets the stage for refined interior design.



Height	
Length	2400 mm
Thickness	15 mm



Contour 12

S12015 - Skirting

Embrace the allure of the Contour 12 skirting, an architectural gem with a contoured silhouette. Its soft edges and dimensions of 120 x 2400 x 13 mm make a bold style statement. Crafted from an extruded and impact-resistant polymer, this skirting is a fusion of beauty and resilience.



Height	134 mm
Length	2400 mm
Thickness	24 mm



Curve Cover 13

A13424 - Skirting

Infuse your space with timeless sophistication using the Curve Cover 13 skirting. Its profiled design, featuring clean lines and soft edges, adds a touch of modernity to any room. Crafted from a high-density polystyrene polymer, this skirting guarantees durability and style.

Easily fits existing skirting underneath upto 10 cms tall. The profiled top reduces the visibile thickness of the cover skirting.



Height	114 mm
Length	2400 mm
Thickness	24 mm



Curve Cover 11

A11424 - Skirting

Redefine elegance with the Curve Cover 11 skirting, a rectangular masterpiece that captivates with its sharp edges and sleek design. Crafted from an extruded and impact-resistant polymer, this durable skirting measuring 114 x 2400 x 24 mm is a testament to contemporary style

Easily fits existing skirting underneath upto 9 cms tall. The profiled top reduces the visibile thickness of the cover skirting.



Height	120 mm
Length	2400 mm
Thickness	22 mm



Square Cover 12

S1222 - Skirting

Unleash the beauty of simplicity with the Square Cover 12 skirting, a rectangular wonder that accentuates the finesse of any space. Its straight edges and precise dimensions of 120 x 2400 x 22 mm make it a versatile addition to modern interiors.

The well designed structure easily accommodates existing skirting up to 10 cms tall





Square Cover 10

S1022 - Skirting

Indulge in the contemporary charm of the Square Cover 10 skirting, an exquisite rectangular design crafted to perfection. With clean lines and straight edges, this skirting creates a seamless transition between walls and floors, offering a touch of elegance to any room

The well designed structure easily accommodates existing skirting up to 8 cms tall



cifications	pecifications	
ght	leight 100	
gth	ength 240	400 mm
:kness	hickness 15	5 mm



Square Prime 10

PRIM 10 - Skirting

Immerse yourself in the allure of the Square Prime 10 skirting, a rectangular masterpiece that exudes timeless elegance. Its straight edges and sleek dimensions of 100 x 2400 x 15 mm make it a versatile choice for enhancing the aesthetic appeal of any space

Due to its innovative MDF core, mitered joints are used to reduce visible joints. The primed surface is ready for paint in any color to match your walls.

100 mr

		Specification	ons
		Height	80 mm
		Length	2400 mm
		Thickness ———————————————————————————————————	
100	for the same of th		

Square Prime 8

PRIM8 - Skirting


Experience the epitome of modern sophistication with the Square Prime 8 skirting. Its rectangular form, defined by straight edges, adds a touch of contemporary elegance to any room. Crafted from high quality MDF, this skirting augrantees durability without compromising style.

Due to its innovative MDF core, mitered joints are used to reduce visible joints. The primed surface is ready for paint in any color to match your walls.

a∪ mr

- 5	ne	citi	CC	rti c	ns
J	pc	GIII	CC	4116	7113

Height	
Length	2400 mm
Thickness	15 mm



Square Foil 10

Foil 10 - Skirting

Elevate your interior design with the Square Foil 10 skirting, a rectangular marvel that seamlessly blends style and functionality. Its clean lines and precise dimensions of 100 x 2400 x 15 mm make it an ideal choice for creating a polished and refined space.

100 mm

		Specifications		
		Height	80 mm	
		Length	2400 mm	
		Thickness		
3				

Square Foil 8

Foil 8 - Skirting

Unleash the architectural charm of the Square Foil 10 skirting a rectangular beauty that leaves a lasting impression. With its straight edges and sleek dimensions of $80 \times 2400 \times 15$ mm, this skirting adds a touch of contemporary flair to any room

α∪ mi

Haiaht	
Height	
	2400 mm
I hickness —————	
	A CONTRACTOR
	Length Thickness

Wood Veneer 10

WV10 - Skirting

Embrace the contemporary elegance of the Wood Veneer 10 skirting, a rectangular masterpiece designed to elevate your interior. Its clean lines and sharp edges, combined with dimensions of $100 \times 2400 \times 15$ mm make it a stylish choice for transforming any room.

The skirting can be stained, painted or varnished as required to match yournew floor or walls.



Wood Veneer 8

WV8 - Skirting

Discover the essence of modern aesthetics with the Wood Veneer 8 skirting. Its rectangular silhouette, characterized by straight edges, creates a stunning visual impact. Crafted from a multi layered plywood and finished off with a real wood white oak veneer, this skirting ensures longevity while enhancing the overall appeal of your space

The skirting can be stained, painted or varnished as required to match your new floor or walls.

80 mr

Square SPC 10

SPC10 - Skirting

Step into a world of refined design with the Square SPC 10 skirting, a rectangular gem that showcases modern sophistication. Crafted from a high-quality PVC, its impact-resistant composition guarantees durability.

Measuring $100 \times 2400 \times 15$ mm, this skirting is a true testament to exquisite craftsmanship



15 mm

Height	80 mm
Length	2400 mm
Thickness	12 mm



Contour SPC 8

SPC8 - Skirting

Infuse your space with architectural finesse using the Contour SPC 8 skirting Its sleek contoured design, featuring soft profiled edges, creates a seamless transition between walls and floors. Crafted from an extruded and impact-resistant PVC, this skirting adds a touch of contemporary allure to any room





Introducing Skirtify® floor skirting profiles, crafted from cutting-edge materials for exceptional durability, lightweight construction, and hassle-free installation. Setting itself apart from conventional wood, MDF, or plaster alternatives, Skirtify® boasts distinctive product attributes that redefine excellence.

The cornerstone of our profiles lies in high-quality polyurethane, enabling precise detailing and sharp contours. Embracing versatility, each Skirtify® profile can be seamlessly painted to match any interior decor, providing a limitless canvas for creativity.

With Skirtify®, elevate your space with skirting solutions that combine resilience, ease of use, and artistic potential – a true fusion of innovation and elegance.

TECHNICAL FEATURES OF TROY MOULDINGS				
Material	High Density Foamed Polystyrene - HDPS (99%)Flexural			
Density	420 - 470 kg/m			
Flexural Strength	9,1±0,5 MPa (DIN53457)			
Hardness	60 Shore D (DIN53505/ISO868)			
Ozone Depletion Factor	Zero (CFC-Free, Waterblown)			
Melting Temperature	110 – 120 °C			
Impact Resistance (IZOD)	6,55 J/m (astm D 256-10)			
Moisture-Water Absorption	0.09% (ASTM D 570-98)			
Prop 65 CARB (USA) Position	No Need For Warning Label			
VOC (Volatile Organic Compounds) (96 hours)	Zero (VOC-Free)			
Heat Resistance	Max. +70°C			
Linear Thermal Expansion Coefficient	50 x 10μm/m°C - 65 x 10μm/m°C			
Fire Resistance (Without FR)	E Grade			
Burn Rate (With FR Additive)	1,40 mm/min(dk)			










Paintable



Shock Resistant



Flexible



Multifunctional



Cover Skirting



Termite Resistant











